

## Physicians Plus Insurance Corporation Cognitive Services Code Combinations

Reason, Action, Result Code	Description	\$5	\$15
NF, FE, 1E	Formulary utilization	X	
ER, M0, 1C	Early refill, diff dose	X	
ER, M0, 1D	Early refill, diff dir	X	
ER, M0, 1F	Early refill, diff qty	X	
EX, M0, 1C	Excessive qty, diff dose	X	
EX, M0, 1D	Excessive qty, diff dir	X	
EX, M0, 1E	Excessive qty, diff drug	X	
EX, M0, 1F	Excessive qty, diff qty	X	
MX, M0, 1C	Excessive dur, diff dose	X	
MX, M0, 1D	Excessive dur, diff dir	X	
MX, M0, 1E	Excessive dur, diff drug	X	
MX, M0, 1F	Excessive dur, diff qty	X	
HD, M0, 1C	High dose, diff dose	X	
HD, M0, 1D	High dose, diff dir	X	
HD, M0, 1E	High dose, diff drug	X	
LR, M0, 1C	Late refill, diff dose	X	
LR, M0, 1D	Late refill, diff dir	X	
LR, M0, 1E	Late refill, diff drug	X	
LR, M0, 1F	Late refill, diff qty	X	
MN, M0, 1D	Insuff duration, diff dir	X	
MN, M0, 1F	Insuff duration, diff qty	X	
NS, M0, 1D	Insuff qty, diff dir	X	
NS, M0, 1F	Insuff qty, diff qty	X	
LD, M0, 1C	Low dose, diff dose	X	
LD, M0, 1D	Low dose, diff dir	X	
LD, M0, 1E	Low dose, diff drug	X	
LD, M0, 1F	Low dose, diff qty	X	
SF, M0, 1E	Subopt dose, diff drug	X	
SR, M0, 1C	Subopt reg, diff dose	X	
SR, M0, 1D	Subopt reg, diff dir	X	
SR, M0, 1F	Subopt reg, diff qty	X	
AT, M0, 1C	Add toxicity, diff dose	X	
AT, M0, 1D	Add toxicity, diff dir	X	
AT, M0, 1E	Add toxicity, diff drug	X	
AT, M0, 1F	Add toxicity, diff qty	X	
AT, RT, 1C	Add tox, lab, diff dose	X	
AT, RT, 1D	Add tox, lab, diff dir	X	
AT, RT, 1E	Add tox, lab, diff drug	X	
AT, RT, 1F	Add tox, lab, diff qty	X	
DD, M0, 1C	Drug Int, diff dose	X	
DD, M0, 1E	Drug Int, diff drug	X	
TD, M0, 1E	Therap Dup, diff drug	X	
AD, M0, 1E	Addn Drug Rec, diff dr	X	
AR, M0, 1C	Adv drug rxn, diff dose	X	
AR, M0, 1D	Adv drug rxn, diff dir	X	
AR, M0, 1E	Adv drug rxn, diff drug	X	
CS, M0, 1C	Pt com/sym, diff dose	X	

CS, M0, 1D	Pt com/sym, diff dir	X	
CS, M0, 1E	Pt com/sym, diff drug	X	
DM, M0, 1C	Misuse, diff dose	X	
DM, M0, 1D	Misuse, diff dir	X	
DM, M0, 1E	Misuse, diff drug	X	
DM, M0, 1F	Misuse, diff qty	X	
SE, M0, 1C	Side effect, diff dose	X	
SE, M0, 1D	Side effect, diff dir	X	
SE, M0, 1E	Side effect, diff drug	X	
TN,RT,1C	Lab test, diff dose	X	
TN, RT, 1D	Lab test, diff dir	X	
TN, RT, 1E	Lab test, diff drug	X	
PS, TH, 1E	Targeted Products		X

## Physicians Plus Insurance Corporation Cognitive Services Codes

### REASON for provision of pharmaceutical care (choose ONE)

- NF Non-Formulary
- ER Early Refill
- EX Excessive Quantity
- MX Excessive Duration
- HD High Dose
- LR Late Refill
- MN Insufficient Duration
- NS Insufficient Quantity
- LD Low Dose
- SF Suboptimal Dose Form
- SR Suboptimal Regimen
- AT Additive Toxicity
- DD Drug-Drug Interaction
- TD Therapeutic Duplication
- AD Additional Drug Recommended
- AR Adverse Drug Reaction
- CS Patient Complaint/Symptom
- DM Possible Drug Misuse
- SE Side Effect Precaution
- TN Lab Test Needed
- PS Product Selection Opportunity

### ACTION taken by pharmacist (choose ONE)

- FE Formulary Enforcement
- TH Therapeutic Product Interchange
- AS Patient Assessment
- MO MD Contacted (Prescriber consulted)
- PE Patient Education
- RT Recommend Lab Test

### RESULT of action (choose ONE)

- 1C Filled, Different Dose
- 1D Filled, Different Directions
- 1E Filled, Different Drug
- 1F Filled, Different Quantity