

H1N1 INFLUENZA VACCINE PRODUCT COMPARISON

		All Children 6-23 months	Children with High Risk Conditions 24-35 months	Healthy Children 24-35 months	Children with High Risk Conditions 36-47 months	Healthy Children 36-47 months	Children with High Risk Conditions 4-17 years	Healthy Children 4-17 years	Healthy Adults 18-49 years	Adults with High Risk Conditions	Adults ≥ 50 years
CSL Limited	a	✓ _{b,c}	✓ _{b,c}	✓ _{b,c}	✓ _b	✓ _b	✓ _b	✓ _b	✓	✓	✓
ID Biomedical/GlaxoSmithKline	e								✓	✓	✓
MedImmune Vaccines, Inc.	f,g			✓ _b		✓ _b		✓ _b	✓		
Novartis Vaccines, Ltd.	h						✓ _b	✓ _b	✓	✓	✓
Sanofi-pasteur, Inc.	i	✓ _{b,c}	✓ _{b,c}	✓ _{b,c}	✓ _b	✓ _b	✓ _b	✓ _b	✓	✓	✓
<p>a) Available as 0.25 ml and 0.5 ml prefilled syringes formulated without preservatives and as 5 ml multidose vials containing thimerosal, a mercury derivative (24.5 mcg mercury per dose).</p> <p>b) Previously unvaccinated children age 6 months to 8 years should receive two doses separated by at least 4 weeks in the first season in which they are immunized</p> <p>c) Children aged 6-35 months receive 0.25 ml dose.</p> <p>d) Available as 0.5 ml prefilled syringes formulated without preservatives.</p> <p>e) Available as 5 ml multidose vials containing thimerosal, a mercury derivative (25 mcg mercury per dose).</p> <p>f) Available as 0.2 ml sprayer formulated without preservatives.</p> <p>g) Household and close contacts of individuals at high risk for influenza-related complications should be immunized. Do not use FluMist in contacts of <i>severely</i> immunocompromised individuals. Inactivated influenza vaccine is preferred because of the theoretical risk of person-to-person transmission of the live attenuated influenza virus contained in FluMist.</p> <p>h) Available as 5 ml multidose vials containing thimerosal, a mercury derivative (25 mcg mercury per dose) and as 0.5 ml prefilled syringes containing trace amounts of thimerosal.</p> <p>i) Available as 5 ml multidose vials containing thimerosal, a mercury derivative (25 mcg mercury per dose) and in 0.25 ml prefilled syringes and in 0.5 ml vials and prefilled syringes without preservatives.</p>											