

Comma Splices

A comma splice is connecting two complete sentences (clauses) with only a comma.



Comma Splices

"The patients with the higher dose had better outcomes, the patients with the lower dose had worse outcomes."



Comma Splices

To join two complete sentences (clauses), you need to:

1. Add a conjunction after the comma

OR

2. Split the clauses into two sentences

OR

3. Change the comma to a semicolon



Comma Splice Fixes

1. Add a conjunction after the comma.

"The patients with the higher dose had better outcomes, and the patients with the lower dose had worse outcomes."



Comma Splice Fixes

2. Split the clauses into two sentences.

"The patients with the higher dose had better outcomes.

The patients with the lower dose had worse outcomes."



Comma Splice Fixes

3. Change the comma to a semicolon.

"The patients with the higher dose had better outcomes; the patients with the lower dose had worse outcomes."



Acceptable Conjunctions



Conjunctions: Yes!

- and
- but
- or
- nor
- SO
- because
- yet



Conjunctions: Yes!

- and
- but
- or
- nor
- SO
- because
- yet

The comma comes

the comma comes

before these
conjunctions after these
a comma and comma acomma commo commo commo commo com compose

conjunctions.



Conjunctions: No!

- however
- therefore
- thus
- unfortunately



Conjunctions: No!

These are actually conjunctive adverbs.

- however
- therefore
- thus
- unfortunately



"The patients with the higher dose had better outcomes, however the sample size was very small."



"The patients with the higher dose had better outcomes, but the sample size was very small."



"The patients with the higher dose had better outcomes. However, the sample size was very small."



"The patients with the higher dose had better outcomes; however, the sample size was very small."





may might

"The pharmacists might use the new software as early as January."



utilize

use

"This study used data from a 2010 paper by Dr. Jane Tanaka."



explained

said

"We are very excited about this new phase," said Dr. Mateo.



Other Common Errors



Formatting a range:

"The patients ranged in age from 8-24."

"The patients ranged in age from 8 to 24."

"The patients' ages were 8-24."

"This study was conducted from January-May 2018."

"This study was conducted from January to May 2018."

"This study was conducted January-May 2018."



"Between" vs. "among"

Between compares two things.

"The differences between the green group and the blue group were significant."

Among compares three or more things.

"There was a lot of variation in hair color among Jane, Akeela, Maggie, and Parminder."



Compound adjectives:

When they come before the noun, they should be hyphenated.

"pharmacy-specific guidelines"

"physician-guided education"

"high-efficacy medications"

"low-performing strategies"

"patient-specific therapies"



Compound adjectives:

When they come before the noun, they should be hyphenated.

"pharmacy-specific guidelines"
"physician-guided education"
"high-efficacy medications"
"low-performing strategies"
"patient-specific therapies"

One exception: Compound adjectives that start with a "ly" adverb are not hyphenated. ("locally produced conference," "highly effective dose, etc.)





New patients are seen via telehealth.

Doctors see new patients via telehealth.



Medication concerns are discussed with a pharmacist.

Patients discuss medication concerns with a pharmacist.



A welcoming atmosphere is created by the large windows at the clinic.

The clinic's large windows create a welcoming atmosphere.



It is estimated that 60% of patients had a positive experience at the walk-in clinic.

We estimate that 60% of patients had a positive experience at the walk-in clinic.



Thanks! Be well.



Jennifer Pitterle

jen.pitterle@gmail.com linkedin.com/in/jenniferpitterle



Survey for PSW!

https://uwmadison.co1.qualtrics. com/jfe/form/SV 1SIP8W5eVrcr cxw

